

This form is a summary description of the model entitled “HypercubeCommunicationGrid” proposed for the Model Checking Contest @ Petri Nets. Models can be given in several instances parameterized by scaling parameters. Colored nets can be accompanied by one or many equivalent, unfolded P/T nets. Models are given together with property files (possibly, one per model instance) giving a set of properties to be checked on the model.

Description

Hypercube communication grid model [1,2] is composed of nodes which represent data communication equipment (DCE) implementing packet forwarding based on store-and-forward principle. Each DCE has ports, situated on facets of a unit size hypercube, which work in full-duplex mode. Data terminal equipment (DTE) is attached on the hypercube borders. Each DTE receives and sends packets.

Remind that, a d -dimension hypercube has $2 \cdot d$ facets each represents a $(d - 1)$ -dimension hypercube.

DCE index (i_1, i_2, \dots, i_d) , where $1 \leq i_j \leq k$, $1 \leq j \leq d$, reflects its location within hypercube. Port index (r, n) consists of dimension number $1 \leq r \leq d$, a facet is perpendicular to, and direction number $1 \leq n \leq 2$, where $n = 1$ represents the direction to the origin of coordinates and $n = 2$ represents the direction to infinity.

DCE model contains an internal buffer represented with $2 \cdot d + 1$ places: the available buffer size and buffer sections for storing packets forwarded to the corresponding ports.

Each of $2 \cdot d$ DCE ports has two tracts: input and output. Memory of a tract is represented with two places – the tract buffer and the tract buffer available capacity (usually equal to unit). An output tract work is modeled by a single transition taking a packet from the corresponding section of the internal buffer and putting it into the tract buffer. An input tract work is modeled by $2 \cdot d - 1$ transitions forwarding arrived packet from the tract buffer to the corresponding section of the internal buffer except of the arrival port number.

A hypercube is composed via merging tract places of neighbor DCE which has a common facet: input tract of one DCE with output tract of the other DCE and vice versa.

On the borders, which constitute $2 \cdot d$ hypercubes of dimension $d - 1$, DTE models are attached. A simple DTE model is represented with a single transition that receives a packet from a neighbor DCE output tract and sends a packet into the neighbor DCE input tract.

For planar case when $d = 2$, models are described in [1,3] with simplified notation of ports.

References

- [1] Zaitsev D.A., Zaitsev I.D., Shmeleva T.R. Infinite Petri Nets as Models of Grids (pp. 187-204). Chapter 19 in Mehdi Khosrow-Pour (Ed.) Encyclopedia of Information Science and Technology, Third Edition (10 Volumes). IGI-Global: USA, 2014.
- [2] Zaitsev D.A., Shmeleva T.R. Hypercube communication structures analysis via parametric Petri nets. Proceedings of 24th UK Performance Engineering Workshop (UKPEW 2008), 3-4 July 2008, Department of Computing, Imperial College London, p. 358-371.
- [3] Shmeleva T.R., Zaitsev D.A., Zaitsev I.D. Analysis of Square Communication Grids via Infinite Petri Nets. Transactions of Odessa National Academy of Telecommunication, no. 1, 2009, p. 27-35.
- [4] A C program that generates k^d hypercube can be downloaded from <http://daze.ho.ua/tinaz.zip>

Scaling parameter

Parameter name	Parameter description	Chosen parameter values
d, k, p, b	d is the number of dimensions; k is the hypercube size of k^d DCE nodes and $2 \cdot d \cdot k^{d-1}$ DTE nodes; p is the number of packets in each section of internal buffer; b is the available size of internal buffer; p and b define the initial marking and do not affect the model structure.	$(d, k) = (3, 4), (4, 3), (5, 3)$ with $p = k$ and $b = d \cdot k$

Size of the model

Parameter	Number of places	Number of transitions	Number of arcs
(d, k)	$P = 6 \cdot d \cdot k^d + k^d + 4 \cdot d \cdot k^{d-1}$	$T = 4 \cdot d^2 \cdot k^d + 2 \cdot d \cdot k^{d-1}$	$A = 16 \cdot d^2 \cdot k^d + 8 \cdot d \cdot k^{d-1}$
$(d = 3, k = 4)$	1408	2400	9600
$(d = 4, k = 3)$	2457	5400	21600
$(d = 5, k = 3)$	9153	25110	100440

Structural properties

- ordinary — all arcs have multiplicity one ✓
- simple free choice — all transitions sharing a common input place have no other input place ✗ (a)
- extended free choice — all transitions sharing a common input place have the same input places ✗ (b)
- state machine — every transition has exactly one input place and exactly one output place ✗ (c)
- marked graph — every place has exactly one input transition and exactly one output transition ✗ (d)
- connected — there is an undirected path between every two nodes (places or transitions) ✓ (e)
- strongly connected — there is a directed path between every two nodes (places or transitions) ✓ (f)
- source place(s) — one or more places have no input transitions ✗ (g)
- sink place(s) — one or more places have no output transitions ✗ (h)
- source transition(s) — one or more transitions have no input places ✗ (i)
- sink transitions(s) — one or more transitions have no output places ✗ (j)
- loop-free — no transition has an input place that is also an output place ✓ (k)
- conservative — for each transition, the number of input arcs equals the number of output arcs ✓ (l)
- subconservative — for each transition, the number of input arcs equals or exceeds the number of output arcs ✓ (m)
- nested units — places are structured into hierarchically nested sequential units⁽ⁿ⁾ ✗

(a) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(b) stated by [CÆSAR.BDD](#) version 2.6 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(c) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(d) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(e) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(f) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(g) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(h) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(i) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(j) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(k) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(l) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(m) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

(n) the definition of Nested-Unit Petri Nets (NUPN) is available from <http://mcc.lip6.fr/nupn.php>

Behavioural properties

- safe** — *in every reachable marking, there is no more than one token on a place* X^(o)
deadlock — *there exists a reachable marking from which no transition can be fired* X^(p)
reversible — *from every reachable marking, there is a transition path going back to the initial marking* X
quasi-live — *for every transition t , there exists a reachable marking in which t can fire* ✓
live — *for every transition t , from every reachable marking, one can reach a marking in which t can fire* X

Size of the marking graphs

Parameter	Number of reach-able markings	Number of tran-sition firings	Max. number of tokens per place	Max. number of tokens per marking
$(d = 3, k = 4)$?	?	?	2784 ^(q)
$(d = 4, k = 3)$?	?	?	3780 ^(r)
$(d = 5, k = 3)$?	?	?	14175 ^(s)

Other properties

Model is $2 \cdot d \cdot p + b$ bounded — the sum of tokens in DCE internal buffer places. Model is P/T-invariant for any natural k as proven in [1,2]

^(o) stated by C/ESAR.BDD version 2.2 on all 3 instances $((3, 4), (4, 3), (5, 3))$.

^(p) proven in [1,2]; checked by the Tina <http://www.laas.fr/tina> tool version 3.3.0 as well as other behavioural properties for small values of parameters d, k .

^(q) number of initial tokens, because the net is conservative.

^(r) number of initial tokens, because the net is conservative.

^(s) number of initial tokens, because the net is conservative.