This form is a summary description of the model entitled "Circuit Shield Against Physical Attacks (RV, transition)" proposed for the Model Checking Contest @ Petri Nets. Models can be given in several instances parameterized by scaling parameters. Colored nets can be accompanied by one or many equivalent, unfolded P/T nets. Models are given together with property files (possibly, one per model instance) giving a set of properties to be checked on the model.

# Description

Physical attacks to an integrated circuit are generally meant to allow the attacker to probe for the sensitive information that is stored in the internal registers/wires of the circuit during its ordinary operation. To protect a circuit against such attacks, the patent [1] proposes to add over the circuit, as a top layer, an additional circuit, called *shield*.

Any physical attack or probing procedures will inevitably tamper with the shield, which constitutes the top layer of the accessible part of the circuit. Hence, proving that the shield is able to flag any tampering attempts amounts to proving that the circuit itself is able to detect a physical attack, stop its normal operation and, take an appropriate countermeasure (e.g., completely deactivate the circuit).

The shield is a serial composition of N + 1 sequencers, or even a parallel composition of several series of sequencers. The gate-level design for a sequencer can be found in Figures 4–8 of [1]. Each sequencer transmits a first signal, called *request* to its successor; when the last sequencer outputs a request, a second signal, called *acknowledgment* is transmitted through the series of sequencers in the opposite direction. If a sequencer is designed in such a way that any physical modification on the connections for the transmission of the request (respectively, the acknowledgment) blocks the transmission of the acknowledgment (respectively, the request), a physical attack can be detected by the absence of an acknowledgment for a request sent into the shield.

This collection of P/T nets was obtained from the formal description in LNT of the shield given in [2], extended to series of more than two sequencers. With respect to the terminology of [2], the LNT descriptions implement the transition-based approach for the RV modelling variant. Each LNT description was translated to LOTOS, and then to an interpreted Petri net using the CADP toolbox. Finally, a P/T net was obtained by stripping out all data-related information (variables, types, assignments, guards, etc.) from the interpreted Petri net, leading to a NUPN (Nested-Unit Petri Net) model translated to PNML using the CÆSAR.BDD tool.

Each instance of the model is parameterized by N, which is equal to the number of sequencers minus one. Each instance is also parameterized by its version V, which specifies how the NUPN has been produced from the LOTOS specification. Vis either equal to "a" if the NUPN has been generated *after* applying all the structural and data-flow optimizations of the CÆSAR compiler for LOTOS, or to "b" if the NUPN has been generated *before* these optimizations.

# References

[1] Marc Renaudin, Bertrand Folco, and Boulahia Boubkar. *Circuit intégré protégé*. European Patent Office, Fascicule de Brevet Europeen EP 3 276 656 B1, February 13, 2019.

[2] Radu Mateescu, Wendelin Serwe, Aymane Bouzafour, and Marc Renaudin. *Modeling an Asynchronous Circuit Dedicated to the Protection Against Physical Attacks*. Proceedings of the 4th Workshop on Models for Formal Analysis of Real Systems (MARS 2020). Electronic Proceedings in Theoretical Computer Science, April 2020.

## Scaling parameter

Parameter name	Parameter description	Chosen parameter values
(N,V)	N is the number of sequencers minus one,	$\begin{array}{                                    $
	and $V$ is the version defined above	

### Size of the model

Parameter	Number of	Number of	Number of	Number of	HWB code
	places	transitions	arcs	units	
$\boxed{N=1, V=a}$	11	11	40	6	2-5-11
N = 1, V = b	53	53	124	9	5-5-22
N = 2, V = a	19	19	74	10	2-9-19
N = 2, V = b	103	103	242	17	6-9-42
N = 3, V = a	27	27	108	14	2-13-27
N = 3, V = b	153	153	360	25	7-13-62
N = 4, V = a	35	35	142	18	2-17-35
N = 4, V = b	203	203	478	33	8-17-82
N = 5, V = a	43	43	176	22	2-21-43
N = 5, V = b	253	253	596	41	9-21-102
N = 10, V = a	83	83	346	42	2-41-83
N = 10, V = b	503	503	1186	81	14 - 41 - 202
N = 20, V = a	163	163	686	82	2 - 81 - 163
N = 20, V = b	1003	1003	2366	161	24-81-402
N = 30, V = a	243	243	1026	122	2-121-243
N = 30, V = b	1503	1503	3546	241	34 - 121 - 602
N = 40, V = a	323	323	1366	162	2-161-323
N = 40, V = b	2003	2003	4726	321	44-161-802
N = 50, V = a	403	403	1706	202	2-201-403
N = 50, V = b	2503	2503	5906	401	54-201-1002
N = 100, V = a	803	803	3406	402	2-401-803
N = 100, V = b	5003	5003	11806	801	104 - 401 - 2002

## Structural properties

ordinary — all arcs have multiplicity one $\cdots$
simple free choice — all transitions sharing a common input place have no other input place $\ldots \ldots \ldots $ (a)
extended free choice — all transitions sharing a common input place have the same input places $\ldots $ (b)
state machine — every transition has exactly one input place and exactly one output place $\dots \dots \dots X^{(c)}$
marked graph — every place has exactly one input transition and exactly one output transition $\ldots \ldots \varkappa$ (d)
connected — there is an undirected path between every two nodes (places or transitions)
strongly connected — there is a directed path between every two nodes (places or transitions) $\dots $ $\checkmark$ (f)
source place(s) — one or more places have no input transitions $\dots \dots \dots$
sink place(s) — one or more places have no output transitions $\dots $ (h)
source transition(s) — one or more transitions have no input places $\ldots \ldots \ldots \ldots \ldots \ldots \ldots $ (i)
sink transitions(s) — one or more transitions have no output places $\ldots$
<b>loop-free</b> — no transition has an input place that is also an output place $\dots \dots \dots$
conservative — for each transition, the number of input arcs equals the number of output arcs $\dots $ $(1)$
subconservative — for each transition, the number of input arcs equals or exceeds the number of output arcs $\dots$ $(m)$

<sup>(a)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

<sup>(b)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

(c) stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

<sup>(d)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

- <sup>(e)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V). <sup>(f)</sup> from place 1 one cannot reach place 0.
- <sup>(g)</sup> place 0 is a source place.

```
<sup>(h)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of N \times 2 values of V).
```

```
<sup>(i)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of N \times 2 values of V).
```

<sup>(j)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

<sup>&</sup>lt;sup>(k)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

<sup>&</sup>lt;sup>(1)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

<sup>&</sup>lt;sup>(m)</sup> stated by CÆSAR.BDD version 3.3 on all 22 instances (10 values of  $N \times 2$  values of V).

**nested units** — places are structured into hierarchically nested sequential units  $^{(n)}$  .....

#### **Behavioural properties**

safe — in every reachable marking, there is no more than one token on a place	🖌 (o)
dead place(s) — one or more places have no token in any reachable marking	? (p)
dead transition(s) — one or more transitions cannot fire from any reachable marking	
deadlock — there exists a reachable marking from which no transition can be fired	
reversible — from every reachable marking, there is a transition path going back to the initial marking	? (s)
live — for every transition t, from every reachable marking, one can reach a marking in which t can fire	? (t)

### Size of the marking graphs

<b>D</b> (	Number of reach-	Number of tran-	Max. number of	Max. number of
Parameter	able markings	sition firings	tokens per place	tokens per marking
N = 1, V = a	33 <sup>(u)</sup>	?	1	5
N = 1, V = b	$21947^{(v)}$	?	1	5
N = 2, V = a	513 <sup>(w)</sup>	?	1	9
N = 2, V = b	$1.65284e + 08^{(x)}$	?	1	9
N = 3, V = a	8193 <sup>(y)</sup>	?	1	13
N = 3, V = b	$\geq 1.22021e + 12^{(z)}$	?	1 <sup>(aa)</sup>	13
N = 4, V = a	$131073^{(ab)}$	?	1	17
N = 4, V = b	$\geq 3.04132e + 15^{(ac)}$	?	$1^{(ad)}$	17
N = 5, V = a	$2.09715e+06^{(ae)}$	?	1	21
N = 5, V = b	$\geq 6.22463e + 18^{\text{(af)}}$	?	$1^{(ag)}$	21
N = 10, V = a	$2.19902e+12^{(ah)}$	?	1	41
N = 10, V = b	$\geq 6.59279e + 31^{\text{(ai)}}$	?	1 <sup>(aj)</sup>	41
N = 20, V = a	$2.41785e+24^{(ak)}$	?	1	81
N = 20, V = b	$\geq 1.04845e + 55$ <sup>(al)</sup>	?	$1^{(am)}$	81
N = 30, V = a	$\geq 1.53567e + 31^{(an)}$	?	$1^{(ao)}$	121
N = 30, V = b	$\geq 1.66728e + 78^{(ap)}$	?	$1^{(aq)}$	121
N = 40, V = a	$\geq 2.13117e + 14^{(ar)}$	?	$1^{(as)}$	161
N = 40, V = b	$\geq 6.44314e + 102^{\text{(at)}}$	?	$1^{(au)}$	161
N = 50, V = a	$\geq 3.5755e + 21^{(av)}$	?	$1^{(aw)}$	201
N = 50, V = b	$\geq 1.02462e + 126^{\text{(ax)}}$	?	$1^{(ay)}$	201
N = 100, V = a	$\geq 2.13117e + 14^{(az)}$	?	$1^{(ba)}$	401
N = 100, V = b	?	?	1 <sup>(bb)</sup>	401

<sup>(n)</sup>the definition of Nested-Unit Petri Nets (NUPN) is available from http://mcc.lip6.fr/nupn.php

<sup>(o)</sup> safe by construction – stated by the CÆSAR compiler.

<sup>(p)</sup> stated by CÆSAR.BDD version 3.3 to be false on 12 instance(s) out of 22, and unknown on the remaining 10 instance(s).

(q) stated by CÆSAR.BDD version 3.3 to be false on 12 instance(s) out of 22, and unknown on the remaining 10 instance(s).

<sup>(t)</sup> stated by CÆSAR.BDD version 3.3 to be false on 2 instance(s) out of 22, and unknown on the remaining 20 instance(s).

<sup>(u)</sup> stated by CÆSAR.BDD version 3.3.

- <sup>(w)</sup> stated by CÆSAR.BDD version 3.3.
- (x) stated by CÆSAR.BDD version 3.3.
- <sup>(y)</sup> stated by CÆSAR.BDD version 3.3.

- $^{\rm (aa)}$  stated by the CÆSAR compiler.
- (ab) stated by CÆSAR.BDD version 3.3.
- (ac) stated by CÆSAR.BDD version 3.3.

<sup>&</sup>lt;sup>(r)</sup> stated by CÆSAR.BDD version 3.3 to be true on 2 instance(s) out of 22, false on the remaining 7 instance(s), and unknown on the remaining 13 instance(s).

<sup>(</sup>s) stated by CÆSAR.BDD version 3.3 to be false on 2 instance(s) out of 22, and unknown on the remaining 20 instance(s).

<sup>(</sup>v) stated by CÆSAR.BDD version 3.3.

 $<sup>^{\</sup>rm (z)}$  stated by CÆSAR.BDD version 3.3.

 $<sup>^{\</sup>rm (ad)}$  stated by the CÆSAR compiler.

Model: Circuit Shield Against Physical Attacks (RV, transition)Wendelin Serwe and Hubert Garavel<br/>wendelin.serwe@inria.frType: P/T Netsincewendelin.serwe@inria.frOrigin: Industrial (Tiempo Secure)MCC 2020

- $^{\rm (ae)}$  stated by CÆSAR.BDD version 3.3.
- $^{(af)}$  stated by CÆSAR.BDD version 3.3.
- $^{(ag)}$  stated by the CÆSAR compiler.
- (ah) stated by CÆSAR.BDD version 3.3.
- (ai) stated by CÆSAR.BDD version 3.3.
- <sup>(aj)</sup> stated by the CÆSAR compiler. <sup>(ak)</sup> stated by CÆSAR.BDD version 3.3.
- (al) stated by CÆSAR.BDD version 3.3.
- $^{(am)}$  stated by the CÆSAR compiler.
- (an) stated by CÆSAR.BDD version 3.3.
- <sup>(ao)</sup> stated by the CÆSAR compiler.
- (ap) stated by CÆSAR.BDD version 3.3.
- (aq) stated by the CÆSAR compiler.
- <sup>(ar)</sup> stated by CÆSAR.BDD version 3.3. <sup>(as)</sup> stated by the CÆSAR compiler.
- (at) stated by CÆSAR.BDD version 3.3.
- (au) stated by the CÆSAR compiler.
- <sup>(av)</sup> stated by CÆSAR.BDD version 3.3.
- (aw) stated by the CÆSAR compiler.
- (ax) stated by CÆSAR.BDD version 3.3. (ay) stated by the CÆSAR compiler.
- (az) stated by CÆSAR.BDD version 3.3.
- <sup>(ba)</sup> stated by the CÆSAR compiler.
- (bb) stated by the CÆSAR compiler.