

This form is a summary description of the model entitled "HypercubeCommunicationGrid" proposed for the Model Checking Contest @ Petri Nets. Models can be given in several instances parameterized by scaling parameters. Colored nets can be accompanied by one or many equivalent, unfolded P/T nets. Models are given together with property files (possibly, one per model instance) giving a set of properties to be checked on the model.

Description

Hypercube communication grid model [1,2] is composed of nodes which represent data communication equipment (DCE) implementing packet forwarding based on store-and-forward principle. Each DCE has ports, situated on facets of a unit size hypercube, which work in full-duplex mode. Data terminal equipment (DTE) is attached on the hypercube borders. Each DTE receives and sends packets.

Remind that, a d -dimension hypercube has $2 \cdot d$ facets each represents a $(d - 1)$ -dimension hypercube.

DCE index (i_1, i_2, \dots, i_d) , where $1 \leq i_j \leq k$, $1 \leq j \leq d$, reflects its location within hypercube. Port index (r, n) consists of dimension number $1 \leq r \leq d$, a facet is perpendicular to, and direction number $1 \leq n \leq 2$, where $n = 1$ represents the direction to the origin of coordinates and $n = 2$ represents the direction to infinity.

DCE model contains an internal buffer represented with $2 \cdot d + 1$ places: the available buffer size and buffer sections for storing packets forwarded to the corresponding ports.

Each of $2 \cdot d$ DCE ports has two tracts: input and output. Memory of a tract is represented with two places – the tract buffer and the tract buffer available capacity (usually equal to unit). An output tract work is modeled by a single transition taking a packet from the corresponding section of the internal buffer and putting it into the tract buffer. An input tract work is modeled by $2 \cdot d - 1$ transitions forwarding arrived packet from the tract buffer to the corresponding section of the internal buffer except of the arrival port number.

A hypercube is composed via merging tract places of neighbor DCE which has a common facet: input tract of one DCE with output tract of the other DCE and vice versa.

On the borders, which constitute $2 \cdot d$ hypercubes of dimension $d - 1$, DTE models are attached. A simple DTE model is represented with a single transition that receives a packet from a neighbor DCE output tract and sends a packet into the neighbor DCE input tract.

For planar case when $d = 2$, models are described in [1,3] with simplified notation of ports.

References

- [1] Zaitsev D.A., Zaitsev I.D., Shmeleva T.R. Infinite Petri Nets as Models of Grids (pp. 187-204). Chapter 19 in Mehdi Khosrow-Pour (Ed.) Encyclopedia of Information Science and Technology, Third Edition (10 Volumes). IGI-Global: USA, 2014.
- [2] Zaitsev D.A., Shmeleva T.R. Hypercube communication structures analysis via parametric Petri nets. Proceedings of 24th UK Performance Engineering Workshop (UKPEW 2008), 3-4 July 2008, Department of Computing, Imperial College London, p. 358-371.
- [3] Shmeleva T.R., Zaitsev D.A., Zaitsev I.D. Analysis of Square Communication Grids via Infinite Petri Nets. Transactions of Odessa National Academy of Telecommunication, no. 1, 2009, p. 27-35.
- [4] A C program that generates k^d hypercube can be downloaded from <http://daze.ho.ua/tinaz.zip>

Scaling parameter

| Parameter name | Parameter description | Chosen parameter values |
|----------------|---|--|
| d, k, p, b | d is the number of dimensions; k is the hypercube size of k^d DCE nodes and $2 \cdot d \cdot k^{d-1}$ DTE nodes; p is the number of packets in each section of internal buffer; b is the available size of internal buffer; p and b define the initial marking and do not affect the model structure. | $(d, k) = (3, 4), (4, 3), (5, 3)$ with $p = k$ and $b = d \cdot k$ |

Size of the model

| Parameter | Number of places | Number of transitions | Number of arcs |
|------------------|---|---|--|
| (d, k) | $P = 6 \cdot d \cdot k^d + k^d + 4 \cdot d \cdot k^{d-1}$ | $T = 4 \cdot d^2 \cdot k^d + 2 \cdot d \cdot k^{d-1}$ | $A = 16 \cdot d^2 \cdot k^d + 8 \cdot d \cdot k^{d-1}$ |
| $(d = 3, k = 4)$ | 1408 | 2400 | 9600 |
| $(d = 4, k = 3)$ | 2457 | 5400 | 21600 |
| $(d = 5, k = 3)$ | 9153 | 25110 | 100440 |

Structural properties

- ordinary** — all arcs have multiplicity one yes
- simple free choice** — all transitions sharing a common input place have no other input place no ^(a)
- extended free choice** — all transitions sharing a common input place have the same input places no ^(b)
- state machine** — every transition has exactly one input place and exactly one output place no ^(c)
- marked graph** — every place has exactly one input transition and exactly one output transition no ^(d)
- connected** — there is an undirected path between every two nodes (places or transitions) yes ^(e)
- strongly connected** — there is a directed path between every two nodes (places or transitions) yes ^(f)
- source place(s)** — one or more places have no input transitions no ^(g)
- sink place(s)** — one or more places have no output transitions no ^(h)
- source transition(s)** — one or more transitions have no input places no ⁽ⁱ⁾
- sink transitions(s)** — one or more transitions have no output places no ^(j)
- loop-free** — no transition has an input place that is also an output place yes ^(k)
- conservative** — for each transition, the number of input arcs equals the number of output arcs yes ^(l)
- subconservative** — for each transition, the number of input arcs equals or exceeds the number of output arcs yes ^(m)
- nested units** — places are structured into hierarchically nested sequential units ⁽ⁿ⁾ no

Behavioural properties

- safe** — in every reachable marking, there is no more than one token on a place no ^(o)
- dead place(s)** — one or more places have no token in any reachable marking ?

(a) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (b) stated by [CÆSAR.BDD](#) version 2.6 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (c) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (d) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (e) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (f) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (g) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (h) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (i) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (j) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (k) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (l) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (m) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).
 (n) the definition of Nested-Unit Petri Nets (NUPN) is available from <http://mcc.lip6.fr/nupn.php>
 (o) stated by [CÆSAR.BDD](#) version 2.2 on all 3 instances ((3, 4), (4, 3), (5, 3)).

dead transition(s) — *one or more transitions cannot fire from any reachable marking*no
deadlock — *there exists a reachable marking from which no transition can be fired*no ^(p)
reversible — *from every reachable marking, there is a transition path going back to the initial marking*no
live — *for every transition t , from every reachable marking, one can reach a marking in which t can fire*no

Size of the marking graphs

| Parameter | Number of reach-able markings | Number of tran-sition firings | Max. number of tokens per place | Max. number of tokens per marking |
|------------------|-------------------------------|-------------------------------|---------------------------------|-----------------------------------|
| $(d = 3, k = 4)$ | ? | ? | ? | 2784 ^(q) |
| $(d = 4, k = 3)$ | ? | ? | ? | 3780 ^(r) |
| $(d = 5, k = 3)$ | ? | ? | ? | 14175 ^(s) |

Other properties

Model is $2 \cdot d \cdot p + b$ bounded — the sum of tokens in DCE internal buffer places. Model is P/T-invariant for any natural k as proven in [1,2]

^(p) proven in [1,2]; checked by the Tina <http://www.laas.fr/tina> tool version 3.3.0 as well as other behavioural properties for small values of parameters d, k .

^(q) number of initial tokens, because the net is conservative.

^(r) number of initial tokens, because the net is conservative.

^(s) number of initial tokens, because the net is conservative.