


This form is a summary description of the model entitled “Kanban” proposed for the Model Checking Contest @ Petri Nets. Models can be given in several instances parameterized by scaling parameters. Colored nets can be accompanied by one or many equivalent, unfolded P/T nets. Models are given together with property files (possibly, one per model instance) giving a set of properties to be checked on the model.

Description

This Petri net is extracted a benchmark used for SMART. It models a Kanban system.

The five largest instances have been added in 2019.



Graphical representation for $N = 5$

References

<http://www.cs.ucr.edu/~ciardo/SMART/>

Scaling parameter

Parameter name	Parameter description	Chosen parameter values
N	The scale factor is a value N that determines the initial marking of the places P_1 , P_2 , P_3 , and P_4 ($M(P_1) = M(P_2) = M(P_3) = M(P_4) = N$)	5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, 50000

Size of the model

Although the model is parameterized, its size does not depend on parameter values.

number of places: 16
 number of transitions: 16
 number of arcs: 40

Structural properties

ordinary — *all arcs have multiplicity one* yes
simple free choice — *all transitions sharing a common input place have no other input place* yes ^(a)
extended free choice — *all transitions sharing a common input place have the same input places* yes ^(b)
state machine — *every transition has exactly one input place and exactly one output place* no ^(c)
marked graph — *every place has exactly one input transition and exactly one output transition* no ^(d)
connected — *there is an undirected path between every two nodes (places or transitions)* yes ^(e)
strongly connected — *there is a directed path between every two nodes (places or transitions)* yes ^(f)
source place(s) — *one or more places have no input transitions* no ^(g)
sink place(s) — *one or more places have no output transitions* no ^(h)
source transition(s) — *one or more transitions have no input places* no ⁽ⁱ⁾
sink transitions(s) — *one or more transitions have no output places* no ^(j)
loop-free — *no transition has an input place that is also an output place* yes ^(k)
conservative — *for each transition, the number of input arcs equals the number of output arcs* yes ^(l)
subconservative — *for each transition, the number of input arcs equals or exceeds the number of output arcs* yes ^(m)
nested units — *places are structured into hierarchically nested sequential units* ⁽ⁿ⁾ no

Behavioural properties

safe — *in every reachable marking, there is no more than one token on a place* no ^(o)
dead place(s) — *one or more places have no token in any reachable marking* no ^(p)
dead transition(s) — *one or more transitions cannot fire from any reachable marking* no ^(q)

^(a) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(b) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(c) 2 transitions are not of a state machine, e.g., transition “tsynch1_23”.
^(d) 4 places are not of a marked graph, e.g., place “Pm3”.
^(e) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(f) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(g) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(h) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
⁽ⁱ⁾ stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(j) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(k) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(l) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(m) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
⁽ⁿ⁾ the definition of Nested-Unit Petri Nets (NUPN) is available from <http://mcc.lip6.fr/nupn.php>
^(o) in the initial marking, some places have several tokens (the number of which depends on N); confirmed by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(p) stated by [CÆSAR.BDD](#) version 3.3 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).
^(q) stated by [CÆSAR.BDD](#) version 2.8 on all 13 instances (5, 10, 20, 50, 100, 200, 500, 1000, 2000, 5000, 10000, 20000, and 50000).

deadlock — there exists a reachable marking from which no transition can be firedno ^(r)
reversible — from every reachable marking, there is a transition path going back to the initial marking?
live — for every transition t , from every reachable marking, one can reach a marking in which t can fire?

Size of the marking graphs

Parameter	Number of reachable markings	Number of transition firings	Max. number of tokens per place	Max. number of tokens per marking
$N = 5$	2.5464E+6 ^(s)	2.4460E+7 ^(t)	5 ^(u)	20 ^(v)
$N = 10$	1.006E+9 ^(w)	1.2032E+10 ^(x)	10 ^(y)	40 ^(z)
$N = 20$	8.0542E+11 ^(aa)	1.1012E+13 ^(ab)	20 ^(ac)	80 ^(ad)
$N = 50$	1.0426E+16 ^(ae)	1.5612E+17 ^(af)	50 ^(ag)	200 ^(ah)
$N = 100$	1.7263E+19 ^(ai)	2.6705E+20 ^(aj)	100 ^(ak)	400 ^(al)
$N = 200$	3.1732E+22 ^(am) ; confirmed at MCC'2014 by GreatSPN and PNMC	?	200 ^(an)	800 ^(ao)
$N = 500$	7.0860E+26 ^(ap)	?	500 ^(aq)	2000 ^(ar)
$N = 1000$?	?	?	4000 ^(as)
$N = 2000$?	?	?	8000 ^(at)
$N = 5000$?	?	?	20000 ^(au)
$N = 10000$?	?	?	40000 ^(av)
$N = 20000$?	?	?	80000 ^(aw)
$N = 50000$?	?	?	200000 ^(ax)

^(r) confirmed at MCC'2014 by GreatSPN on 6 instances, by Lola on 4 instances, and by Tapaal on 3 instances.
^(s) computed at MCC'2013 by Alpina, GreatSPN, ITS-Tools, Marcie, Neco, and PNXDD; confirmed at MCC'2014 by GreatSPN, Marcie, PNMC, PNXDD, Stratagem, and Tapaal.
^(t) computed at MCC'2014 by Marcie.
^(u) computed at MCC'2014 by GreatSPN, Marcie, PNMC, and Tapaal.
^(v) number of initial tokens, because the net is conservative.
^(w) computed at MCC'2013 by Alpina, GreatSPN, ITS-Tools, Marcie, and PNXDD; confirmed at MCC'2014 by GreatSPN, Marcie, PNMC, PNXDD, and Stratagem.
^(x) computed at MCC'2014 by Marcie.
^(y) computed at MCC'2014 by GreatSPN, Marcie, and PNMC.
^(z) number of initial tokens, because the net is conservative.
^(aa) computed at MCC'2013 by GreatSPN, ITS-Tools, Marcie, and PNXDD; confirmed at MCC'2014 by GreatSPN, Marcie, PNMC, PNXDD, and Stratagem.
^(ab) computed at MCC'2014 by Marcie.
^(ac) computed at MCC'2014 by GreatSPN, Marcie, and PNMC.
^(ad) number of initial tokens, because the net is conservative.
^(ae) computed at MCC'2013 by GreatSPN, ITS-Tools, and Marcie; confirmed at MCC'2014 by GreatSPN, Marcie, PNMC, and Stratagem.
^(af) computed at MCC'2014 by Marcie.
^(ag) computed at MCC'2014 by GreatSPN, Marcie, and PNMC.
^(ah) number of initial tokens, because the net is conservative.
^(ai) computed at MCC'2013 by GreatSPN, ITS-Tools, and Marcie; computed at MCC'2014 by GreatSPN, Marcie, and PNMC.
^(aj) computed at MCC'2014 by Marcie.
^(ak) computed at MCC'2014 by GreatSPN, Marcie, and PNMC.
^(al) number of initial tokens, because the net is conservative.
^(am) computed at MCC'2013 by ITS-Tools.
^(an) computed at MCC'2014 by GreatSPN and Marcie.
^(ao) number of initial tokens, because the net is conservative.
^(ap) computed at MCC'2014 by PNMC.
^(aq) computed at MCC'2014 by PNMC.
^(ar) number of initial tokens, because the net is conservative.
^(as) number of initial tokens, because the net is conservative.
^(at) number of initial tokens, because the net is conservative.
^(au) number of initial tokens, because the net is conservative.
^(av) number of initial tokens, because the net is conservative.
^(aw) number of initial tokens, because the net is conservative.
^(ax) number of initial tokens, because the net is conservative.

^(ax) number of initial tokens, because the net is conservative.